


Quartz PRECIDRIVE MOON PHASE

User manual



Display and functions

- ❶ Moon phase display
 - ❷ Hour hand
 - ❸ Minute hand
 - ❹ Seconds hand
 - ❺ Date indicator
- ❻ 3-position crown:
- I Rest position (screwed in*, not pulled)
 - II Date-setting position (unscrewed*, half pulled)
 - III Time-setting position (unscrewed*, pulled out completely)

	<p>* Models with screw-in crown:</p> <p>IA Initial position (screwed in, not pulled out)</p> <p>IB Neutral position (unscrewed, not pulled out)</p>
---	--

Congratulations!

We congratulate you on choosing a watch from CERTINA®, a Swiss brand among the most highly renowned in the world. Meticulously designed, using only the highest quality materials and components, it is protected against impacts, temperature variations, water, dust, and also features the **DS** concept.

This user manual applies to CERTINA® quartz watches equipped with the PRECIDRIVE F05.441 movement. For information on setting and using your PRECIDRIVE watch, please refer to the instructions below.

To ensure that your watch operates with perfect precision for many years to come, we advise you to pay careful attention to the advice given in this user manual.

The **DS** (Double Security) concept is characterised by:

- extreme impact resistance,
- an ultra-resistant sapphire crystal,
- a gasket inside the crown and a gasket around the winding stem guaranteeing the water resistance of the watch even when the crown is pulled out,
- a reinforced case back.

Settings

Models with screw-in crown

To ensure even better water resistance, some models are fitted with a screw-in crown **(6)**. Before setting the time or date, you must first unscrew the crown **(6)** to position **IB**, before pulling it out to position **II** or **III**.

Important: After each operation, you must always screw the crown back in, to ensure that your watch remains water-resistant. You are advised not to operate the crown (6) underwater.

Setting the time

- Pull the crown **(6)** to position **III** and turn it forwards or backwards to display the desired time.
- Push the crown **(6)** back into position **I** (and screw it back in if you have a screw-in crown model).

Setting the Moon phase display

- Pull the crown **(6)** out to position **II**.
- Turn the crown **(6)** backwards to set the Moon phase display.
- Push the crown **(6)** back into position **I** (and screw it back in if you have a screw-in crown model).

Quick date correction

- Pull the crown **(6)** out to position **II**. The seconds hand **(3)** will continue running.
- Turn the crown **(6)** forwards until you obtain the desired date.
- Push the crown **(6)** back into position **I** (and screw it back in if you have a screw-in crown model).

Advice for synchronising your watch

To synchronise the seconds hand **(3)** with an official time signal (radio/TV/Internet), pull the crown **(6)** out to position **III**; the seconds hand **(3)** will stop. At the tone, push the crown **(6)** back into the rest position **I**.

Technical information

Winding

Quartz watches do not need to be wound.

PRECIDRIVE

PRECIDRIVE quartz watches, from CERTINA®, can boast not only the incomparable precision of quartz, but also their temperature variation compensated (thermo-compensated) rate, as well as being insensitive to moisture. This enables them to achieve a precision of around +/-10 seconds per year (under normal conditions of use).

EOL (End of Life) function

When the seconds hand is jumping every 4 seconds, your watch is telling you that the battery has reached its end of life, and will soon need to be replaced.

Care and maintenance

We would advise you to clean your watch regularly (except for the leather strap) using a soft cloth and lukewarm soapy water. After immersion in salty water, rinse your watch in fresh water and leave it to dry completely.

Do not leave it anywhere where it might be subjected to major variations in temperature or humidity, in direct sunlight or near strong magnetic fields.

We would advise you to have your watch inspected every 3 to 4 years by an approved CERTINA® representative or retailer. To enjoy an impeccable maintenance service and ensure the guarantee remains valid, always consult an approved CERTINA® representative or retailer.

If you plan not to wear your watch for several weeks or months, we would advise you to store it with the crown pulled out to position **III**. This cuts the electrical power supply to the motor, thereby extending battery life considerably.

Replacing the battery

The autonomy of a PRECIDRIVE watch from CERTINA® is generally more than 2 years in continuous use. Once the battery has been drained, it must be replaced without delay by an approved CERTINA® representative or retailer.

Battery type: silver oxide and zinc button cell, 1.55 V, No. 371, SR 920 SW.

Collection and treatment of EOL quartz watches*



This symbol indicates that this product should not be disposed of as household waste. It must be returned to an approved collection point. By following this procedure you will contribute to safeguarding the environment and human health. Recycling the materials will help to conserve natural resources.

** valid in EU member states and in any countries with corresponding legislation.*